


NOTES: UNLESS OTHERWISE SPECIFIED


1. INTERPRET DRAWING IAW ASME Y14-100.
2. WORKMANSHIP PER MIL-HDBK-454, GUIDELINE 9.

REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED



(FRONT)

MODULE OPTION	
DASH NO.	DESIGNATION
-1	XX1-AX thru AX
-1	XX2-AX thru AXX & AXX thru AXX



(REAR)

MODULE CONFIGURATION			
DASH NO.	PCI 1	PCI 2	PCI 3
-1	BLANK	BLANK	BLANK

DRAFT

CONFIG, 2950

SEE SEPARATE PARTS LIST PLTBXXXXXXX

TYPE DOCUMENT	IDENT. NO.	DESCRIPTION

REFERENCE DRAWINGS

QTY	REQ	PN	NO.	SIZE	CODE	IDENT	PART NO. OR IDENTIFYING NO.	NOMENCLATURE OR DESCRIPTION	SPECIFICATIONS	NOTES

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES:
 TOLERANCES ON:
 FRACTIONS ± TWO PLACE DECIMALS
 ANGLES ± THREE PLACE DECIMALS
 REMOVE ALL BURRS AND SHARP EDGES. DIMENSIONS AND TOLERANCES SHALL BE HELD AFTER PLATING. MACHINE SURFACES TO BE √ RMS.
 MATERIAL:

DRAWN BY:	DATE:
CHECKED BY:	
CONTRACTOR CERTIFICATION:	
DESIGN APPROVAL:	
DOCUMENTATION APPROVAL:	

65 COOPER STREET
 WOODBURY, NJ 08096
 www.tsys-inc.com

CONFIG,
 DELL POWEREDGE 2950

SIZE	CAD CODE	DWG NO.	REV.
D		TBXXXXXXX	-
SCALE	NONE		SHEET 1 of 1